



PROVEN PERFORMER

On-Premises Drying Cabinet

DC 5

Drying Cabinet features

- Flexible construction allows hanging bars to slide easily forward for easy access to garments or down for more space.
- Easy to install; the evacuating channel is connected to the ventilation system and the humid air is transported out of the room.
- All electrical components are placed on the top which makes it easy to maintain.
- Pull-out hanging system
- 3 temperatures; high, normal, low
- Energy efficient
- Overheat protection
- IP 24 classification
- CE approved




Markets

Day care center, Schools, Road workers dressing room, Ships, Airports, Ski resorts, Campings, Security

DC 5

Model short code	DC5-W	DC5-S
Loading capacity (kg)	5	5
Color	White	Stainless Steel
Control	Dot Matrix Blue Screen	Dot Matrix Blue Screen
Display Language	Cn. En.	Cn. En.
Program	7 (5 Auto + 2 Manual)	7 (5 Auto + 2 Manual)
Temperature Adjustment Range (C)	35 - 55	35 - 55
Over Heat Protection	Yes	Yes
Agency Approval	CE (LVD + EMC), GB4706.1, GB4706.60	CE (LVD + EMC), GB4706.1, GB4706.60
Heating effect (kw)	1.8	1.8
Total effect (kW)	1.9	1.9
Electrical connection	220-240/50/60Hz/1phase	220-240/50/60Hz/1phase
Fuse	10 A 250V	10 A 250V
Heating elements	ZOPPAS 1GIK1FG46	ZOPPAS 1GIK1FG46
Motor	35 W	35 W
Outlet exhaust	DIA = 100mm	DIA = 100mm
Outlet air flow m ³ /h	198	198
Dewatering capacity g/min	21.5	21.5
Airborne sound level dB(A)	Max. 60	Max. 60
Product Dimension (mm) H*D*Width	1997x680x635	1997x680x635
Product Weight (kg)	80	80



All measurements are in mm.
 *With levelling legs turned into base.



