



## Tested to Outlast

We still make them like we used to. Tested for 10,400 cycles which could be up to 25 years in the home. Our touch pads are tested for 1 million impressions.

## Durable

Commercial heavy-duty variable induction motor. All metal trunnion, bearing and drive shaft. With heavy-duty seal and commercial shock absorbers for strength and durability.

Triple Coated, commercial-grade steel cabinet will look good and last for years to come, whilst interior protects clothes from rust stains and discolouration.

## Extra Capacity

Dryer: Large 198 litre cylinder, means less wrinkles and creases. Large door opening can handle the biggest loads, so you spend less time in the laundry.

Front Load washer: Large 96.8 litre stainless steel tub, constructed for increased washing performance and water extraction, with 180° swing door.

## Energy Efficient

Dryer: Whisper quiet, superior airflow of 85 litres per second results in faster drying and less wrinkling of clothes.

Front load Washer: Dynamic balancing, Incredible 440 G-force and 1,200rpm spin speed for optimum water extraction, and a spray rinse for outstanding results and water saving.

## Compact

All in one, a space saving unit providing ease of operation with excellent wash results.

**ATEE9A ELEC & ATGE9A GAS**


**SPEEDQUEEN.COM.AU**

# ATEE9A ELEC & ATGE9A GAS

<b>Model Numbers</b>	ATEE9A (Electric) ATGE9A (Gas)
<b>Dimensions (H X W X D)</b>	1986 x 683 x 704 mm
<b>Shipping Dimensions (H X W X D)</b>	2032 x 760 x 860 mm
<b>Shipping Weight</b>	193 kg
<b>WASHER SPECIFIC</b>	
<b>Capacity Kg</b>	10 kg
<b>Drum Capacity Litres</b>	96.8 L
<b>Spin Speed G-Force (Rpm)</b>	440 (1200)
<b>Motor Size Kw (Hp)</b>	Variable Speed Induction 0.67 (0.9)
<b>Water Consumption Per Cycle Lt</b>	126 L
<b>Water Temperature Selection</b>	4
<b>Available Cycles</b>	Heavy Duty, Normal Eco, Perm Press, Delicate, Rinse & Spin, Spin Only, Whites, Bulky, Quick & Programmable Favourite Cycles
<b>Water Pressure Kpa(Psi)</b>	140-830 (20-120)
<b>Cycle Indicator Lights</b>	Yes
<b>Wash Tub</b>	Stainless
<b>Outer Wash Tub</b>	Stainless
<b>Electrical Requirements (Voltage/Hz/Ph)</b>	240 V / 50 Hz AC / 1 Ph
<b>Pre Wash Option</b>	Yes
<b>Soak Option</b>	Yes
<b>Second &amp; Third Rinse Option</b>	Yes
<b>Delay Start Option</b>	Yes
<b>Signal Finish Option</b>	Yes
<b>Fill Hoses Included</b>	Yes, 1.2 Mtrs

<b>DRYER SPECIFIC</b>	
<b>Capacity</b>	9 kg
<b>Quiet, Efficient Blower</b>	Yes
<b>Dryer Drum Capacity (Litres)</b>	198 L
<b>Dryer Door Width</b>	525 mm
<b>Dryer Motor Horsepower</b>	1/3 hp
<b>Available Cycles</b>	Heavy Duty, Regular, Perm Press, Delicate, Time Dry, Quick Dry, Fluff Up & Programmable Favourite Cycles
<b>Available Heat Sources</b>	Electric or Gas (NG or LP)
<b>Electrical Requirements (Voltage/Hz/Ph)</b>	240V / 50 Hz AC / 1 Ph
<b>Dryer Breaker Size</b>	20 (Electric) 10 (Gas) Amps
<b>Gas Consumption Mj</b>	21.1 MJ (Gas)
<b>Temperature Settings</b>	4
<b>Cabinet</b>	Triple Coated Galvanised Steel
<b>Cylinder Finish</b>	Galvanised Steel
<b>Cycle Indicator Light</b>	Yes
<b>End-Of-Cycle Buzzer</b>	Yes
<b>Automatic Dry Cycles</b>	Yes
<b>Shoe Dryer Rack</b>	Optional (part number 512082)
<b>Gas Inlet Connection</b>	3/8 NPT
<b>Heating Element</b>	4000 W (Electric)
<b>Multiple Vent Options</b>	Yes
<b>Exhaust Vent Size</b>	102 mm
<b>Australian Gas Approval</b>	Yes
<b>Lp Conversion Kit</b>	Optional





\*All Speed Queen dryers need to be vented to atmosphere (vented outside), please contact 1300 927 437 for venting solutions.

\*\*Max ducting length 19.8mtr, reducing by 3mtrs for each 90deg bend.

**To learn more about Speed Queen's century of uncompromising performance and reliability, visit [speedqueen.com.au](http://speedqueen.com.au) or call 1300 WASHER (1300 927 437) today.**

Five year warranty on all parts and labour.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications are subject to change without notice, the quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001-2000.